

- Addo, K.O., 883
Alfaro, M.C., 376
Altaee, A., 455, 886
Amin, N.U., 376
Anderson, L.R., 376
Anwar, H.A., 727, 739
Bacopoulos, A., 124
Ballivy, G., 965
Barbour, S.L., 920, 935
Barr, W.E., 220
Basudhar, P.K., 859
Bean, S.M., 12
Been, K., 515
Bell, A.V., 578
Benson, C.H., 236
Bergado, D.T., 376, 710
Biggar, K.W., 34, 46, 319
Bolton, M.D., 1024
Brisbin, W.C., 297
Brooker, E.W., 526
Byrne, P.M., 135, 690
Cabot, L., 1033
Caers, C.J., 667
Campanella, R.G., 211, 607, 876
Carter, J.P., 348
Caughill, D.L., 801
Chai, J.C., 376, 710
Chan, C., 667
Chan, D.H., 155
Chen, R., 297, 338
Cherubini, C., 884
Chigira, M., 60
Chiou, D.-C., 758
Christiansen, E.A., 257
Chu, J., 892
Clark, J.I., 515
Corthésy, R., 991
Cruden, D.M., 276, 863, 1003, 1016
Das, B.M., 545
de Ligt, J.S., 863
Descœudres, F., 363
Douglas, R.A., 1052
Doyuran, V., 391
Duncan, J., 588
Easa, S.M., 886
Egeland, A.K., 257
Egger, P., 363
Eigenbrod, K.D., 464
Eisenstein, Z., 12, 1043, 1046
Elsworth, D., 637
Evans, S.G., 620
Evgin, E., 455
Fahey, M., 348
Fannin, R.J., 71, 409
Fellenius, B.H., 455, 888
Fernandez, F., 124
Fleureau, J.-M., 287
Frank, R., 1
Fredlund, D.G., 491, 905
Fukushima, N., 22
Galvez-Cloutier, R., 834
Garga, V.K., 96, 109, 722, 1050
Gerber, G.E., 12
Ghaly, A., 1041
Gill, D.E., 991
Hanna, A., 193, 974
Hayat, T.M., 647
Hivon, E.G., 506
Houam, A., 812
Hsieh, P.-G., 758
Hu, X.-Q., 276, 1016
Hung, O., 620
Indraratna, B., 887, 890
Jones, G., 723
Joshi, R.C., 387
Juarez-Badillo, E., 385
Kaiser, P.K., 146, 155
Kaltziotis, N., 1
Keegan, T.R., 1003
Kem, C.B., 135
Khan, M.A., 722, 1050
Kheirbek-Saoud, S., 287
King, K.S., 124
Kirkgard, M.M., 848
Kirsten, H.A.D., 418
Koda, E., 308
Kry, P.R., 220
Ladanyi, B., 170
Lade, P.V., 848, 895
Lam, L., 905
Lau, C.K., 1024
Le Bihan, J.-P., 1033
Lee, C.Y., 82
Lee, K.M., 476
Legget, R.F., 555
Leite, M.H., 991
Livingstone, W.R., 515
Lou, J.K., 193
Lu, Z., 1016
Lum, K.Y., 193
Lutenegger, A.J., 1047
Macatol, K.C., 376
Macdonald, K., 491
Matsumoto, N., 747
McClung, D.M., 947
Melouki, M., 170
Mesri, G., 647
Meyerhof, G.G., 247
Miller, G.A., 1047
Morgenstem, N., 441, 569, 801
Morin, P., 702
Mylleville, B.L.J., 768
Nadarajah, P., 781
Nagaraj, T.S., 187
Nicholson, P.G., 727, 739
Novakowski, K.S., 600
Nuyens, J., 812
Omar, M.T., 545
Othman, M.A., 236
Ou, C.-Y., 758
Pandian, N.S., 187
Peck, R.B., 526
Pellet, F., 363
Phadungchewit, Y., 821, 834
Piggott, A.R., 637
Plewes, H.D., 974
Poran, C.J., 1041
Poulos, H.G., 82, 1053
Puri, V.K., 545
Quigley, R.M., 124
Rajani, B., 441
Raju, D.M., 409
Rao, S.M., 550
Reades, D.W., 124
Rhazi, J., 965
Riley, M.D., 588
Robertson, P.K., 569, 883
Rollerson, T.P., 71
Rowe, R.K., 476, 667, 768, 781
Rust, E., 723
Rutherford, G.K., 725
Saboya, Jr., F., 690
Samarasekera, I., 1043, 1046
Sasitharan, S., 569, 893
Sauer, E.K., 257
Scott, J.D., 801
Seed, R.B., 727, 739

- Sego, D.C., 34, 46, 319, 506, 569
Settari, A., 22
Shenoy, M.R., 550
Shirlaw, J.N., 1042, 1044
Silvestri, V., 369
Singh, D.N., 859
Sivakumar Babu, G.L., 187
Soemistro, R., 287
Sridharan, A., 550
Srithar, T., 135
St-Arnaud, L.C., 935
Stewart, W.P., 211
Stimpson, B., 297, 338
Sully, J.P., 720
Sy, A., 607, 876
Szymanski, A., 308
Tabib, C., 369
Taibi, S., 287
Tannant, D.D., 146, 155
Thompson, P.M., 991
Thomson, S., 12, 863, 1003
Tweedie, R.W., 12
Ulusay, R., 391
Vaid, Y.P., 893, 953
Vaziri, H., 22
Wang, B., 96, 109
Wijeweera, H., 387
Wijewickreme, D., 953
Wilson, G.W., 935
Woeller, D.J., 883
Wolski, W., 308
Wong, R., 974
Wong, R.C.K., 220
Woyshner, M.R., 578, 588
Yalcin, A.S., 247
Yanful, E.K., 578, 588
Yang, N., 920
Yasuda, N., 747
Yen, S.C., 545
Yi, X., 476
Yoleri, M.F., 391
Yong, R.N., 821, 834
Zervogiannis, H., 1
Zhang, Z.M., 491

A. General

02. *Historical Aspects*
Donald MacDonald and the Panama Canal. Legget, R.F., 555
09. *Education*
Donald MacDonald and the Panama Canal. Legget, R.F., 555

B. Geological and Environmental Aspects

02. *Hydrogeological Aspects*
Stability of the north slope and portal at the Edmonton light rail transit crossing of the North Saskatchewan River. Gerber, G.E., Tweedie, R.W., Bean, S.M., Thomson, S., and Eisenstein, Z., 12
Geotechnical aspects of recovery processes in oil sands. Settari, A., Ito, Y., Fukushima, N., and Vaziri, H., 22
Evaluation of a compacted till liner test pad constructed over a granular subliner contingency layer. Rowe, R.K., Caers, C.J., and Chan, C., 667
Evaluation of the hydraulic conductivity of aquitards. Rowe, R.K., and Nadarajah, P., 781
03. *Mass Movements and Land Subsidence*
Stability of the north slope and portal at the Edmonton light rail transit crossing of the North Saskatchewan River. Gerber, G.E., Tweedie, R.W., Bean, S.M., Thomson, S., and Eisenstein, Z., 12
Downslope movements at shallow depths related to cyclic pore-pressure changes. Eigenbrod, K.D., 464
Rational design treatment of slides in overconsolidated clays and clay shales. Brooker, E.W., and Peck, R.B., 526
The assessment of rockfall hazard at the base of talus slopes. Evans, S.G., and Hungr, O., 620
A suggested method for estimating setbacks from the crests of slopes on the Interior Plains in Alberta. de Ligt, J.S., Thomson, S., and Cruden, D.M., 863
The landslide dam on the Saddle River near Rycroft, Alberta. Cruden, D.M., Keegan, T.R., and Thomson, S., 1003
12. *Other Environmental Aspects*
Hydraulic conductivity and diffusion monitoring of the Keele Valley Landfill liner, Maple, Ontario. King, K.S., Quigley, R.M., Fernandez, F., Reades, D.W., and Bacopoulos, A., 124
Design of a composite soil cover for an experimental waste rock pile near Newcastle, New Brunswick, Canada. Yanful, E.K., Bell, A.V., and Woyshner, M.R., 578
Construction and monitoring of a composite soil cover on an experimental waste-rock pile near newcastle, New Brunswick, Canada. Yanful, E.K., Riley, M.D., Woyshner, M.R., and Duncan, J., 588
Characterization of fracture aperture by inverse analysis. Piggott, A.R., and Elsworth, D., 637
Evaluation of a compacted till liner test pad constructed over a granular subliner contingency layer. Rowe, R.K., Caers, C.J., and Chan, C., 667
pH influence on selectivity and retention of heavy metals in some clay soils. Yong, R.N., and Phadungchewit, Y., 821
Selective sequential extraction analysis of heavy-metal retention in soil. Yong, R.N., Galvez-Cloutier, R., and Phadungchewit, Y., 834

C. Site Investigations

03. *Probing (Soundings)*
Practical aspects of in situ measurements of material damping with the seismic cone penetration test. Stewart, W.P., and Campanella, R.G., 211
Standard penetration test engery measurements using a system based on the personal computer: Discussion. Sy, A., and Campanella, R.G., 876
Standard penetration test engery measurements using a system based on the personal computer: Reply. Robertson, P.K., Woeller, D.J., and Addo, K.O., 883
Suivi de l'injection au moyen de l'émission acoustique. Rhazi, J., et Ballivy, G., 965

¹ Based on the International Geotechnical Classification System (IGC) as revised 1981.

07. *Measurement of Field Conditions (incl. Post-Construction Monitoring)*
Hydraulic conductivity and diffusion monitoring of the Keele Valley Landfill liner, Maple, Ontario. King, K.S., Quigley, R.M., Fernandez, F., Reades, D.W., and Bacopoulos, A., 124
Reinstrumentation of an earthfill dam. Hanna, A., Lum, K.Y., and Lou, J.K., 193
Practical aspects of in situ measurements of material damping with the seismic cone penetration test. Stewart, W.P., and Campanella, R.G., 211
08. *Field Testing (excl. Tests for Engineering Properties, see Groups D and F)*
Determination of creep properties of frozen soils by means of the borehole stress relaxation test. Ladanyi, B., and Melouki, M., 170
A finite element study of the pressuremeter test in sand using a nonlinear elastic plastic model. Fahey, M., and Carter, J.P., 348
Standard penetration test energy measurements using a system based on the personal computer: Discussion. Sy, A., and Campanella, R.G., 876
Standard penetration test energy measurements using a system based on the personal computer: Reply. Robertson, P.K., Woeller, D.J., and Addo, K.O., 883

D. Soil Properties: Laboratory and In-Situ Determinations

01. *Classification and Description of Soils*
Compression characteristics and index properties of tills and intertill clays in southern Saskatchewan, Canada. Sauer, E.K., Egeland, A.K., and Christiansen, E.A., 257
02. *Physico-Chemical Properties*
Behaviour of clayey soils on drying-wetting paths. Fleureau, J.-M., Kheirbek-Saoud, S., Soemitro, R., and Taibi, S., 287
Distribution of saline permafrost in the Northwest Territories, Canada. Hivon, E.G., and Sego, D.C., 506
Influence of starch polysaccharide on the remoulded properties of two Indian clay samples. Rao, S.M., Sridharan, A., and Shenoy, M.R., 550
Geotechnics of nonsegregating oil sand tailings. Caughill, D.L., Morgenstern, N.R., and Scott, J.D., 801
pH influence on selectivity and retention of heavy metals in some clay soils. Yong, R.N., and Phadungchewit, Y., 821
Selective sequential extraction analysis of heavy-metal retention in soil. Yong, R.N., Galvez-Cloutier, R., and Phadungchewit, Y., 834
A review of the influence of clay-brine interactions on the geotechnical properties of Ca-montmorillonitic clayey soils from western Canada. Barbour, S.L., and Yang, N., 920
03. *Composition, Structure, Density, and Water Contents*
Compression characteristics and index properties of tills and intertill clays in southern Saskatchewan, Canada. Sauer, E.K., Egeland, A.K., and Christiansen, E.A., 257
Collapse behaviour of sand. Sasitharan, S., Robertson, P.K., Sego, D.C., and Morgenstern, N.R., 569
Evaluation of a compacted till liner test pad constructed over a granular subliner contingency layer. Rowe, R.K., Caers, C.J., and Chan, C., 667
04. *Hydraulic Properties*
A reexamination of the permeability index of clays. Babu, G.L.S., Pandian, N.S., and Nagaraj, T.S., 187
Effect of freeze-thaw on the hydraulic conductivity and morphology of compacted clay. Othman, M.A., and Benson, C.H., 236
Interpretation of the transient flow rate obtained from constant-head tests conducted in situ in clays. Novakowski, K.S., 600
Characterization of fracture aperture by inverse analysis. Piggott, A.R., and Elsworth, D., 637
Evaluation of a compacted till liner test pad constructed over a granular subliner contingency layer. Rowe, R.K., Caers, C.J., and Chan, C., 667
Evaluation of the hydraulic conductivity of aquitards. Rowe, R.K., and Nadarajah, P., 781
Evaluation of the saturated-unsaturated groundwater conditions of a thickened tailings deposit. Barbour, S.L., Wilson, G.W., and St-Arnaud, L.C., 935
Investigations of high uplift pressures beneath a concrete dam. Hanna, A.W., Plewes, H.D., Wong, R., and Seyers, W.C., 974
05. *Compressibility and Swelling*
Compression characteristics and index properties of tills and intertill clays in southern Saskatchewan, Canada. Sauer, E.K., Egeland, A.K., and Christiansen, E.A., 257
Behaviour of clayey soils on drying-wetting paths. Fleureau, J.-M., Kheirbek-Saoud, S., Soemitro, R., and Taibi, S., 287
Estimating coefficient of consolidation from piezocone tests: Discussion. Jones, G., and Rust, E., 723
Elimination of membrane compliance in undrained triaxial testing, I. Measurement and evaluation. Nicholson, P.G., Seed, R.B., and Anwar, H.A., 727
Elimination of membrane compliance in undrained triaxial testing, II. Mitigation by injection compensation. Nicholson, P.G., Seed, R.B., and Anwar, H.A., 739
Anisotropic three-dimensional behaviour of a normally consolidated clay. Kirkgard, M.M., and Lade, P.V., 848
06. *Shear-Deformation and Strength Properties*
Geotechnical aspects of recovery processes in oil sands. Settari, A., Ito, Y., Fukushima, N., and Vaziri, H., 22

- Stress-strain response of Cold Lake oil sands. Wong, R.C.K., Barr, W.E., and Kry, P.R., 220
- Flow field around a cylindrical pile during steady penetration. Silvestri, V., and Tabib, C., 369
- Creep behaviour of fine-grained frozen soils: Discussion. Juárez-Badillo, E., 385
- Creep behaviour of fine-grained frozen soils: Reply. Wijeweera, H., and Joshi, R.C., 387
- The coefficient of earth pressure at rest. Mesri, G., and Hayat, T.M., 647
- Interpretation of field vane strength of an anisotropic soil: Discussion. Sully, J.P., 720
- Interpretation of field vane strength of an anisotropic soil: Reply. Garga, V.K., and Khan, M.A., 722
- Elimination of membrane compliance in undrained triaxial testing, I. Measurement and evaluation. Nicholson, P.G., Seed, R.B., and Anwar, H.A., 727
- Elimination of membrane compliance in undrained triaxial testing, II. Mitigation by injection compensation. Nicholson, P.G., Seed, R.B., and Anwar, H.A., 739
- Anisotropic three-dimensional behaviour of a normally consolidated clay. Kirkgard, M.M., and Lade, P.V., 848
- The strength and dilatancy of sand: Discussion. Chu, J., 892
- The strength and dilatancy of sand: Reply. Vaid, Y.P., and Sasitharan, S., 893
- Behaviour of loose sands under simultaneous increase in stress ratio and principal stress rotation. Wijewickreme, D., and Vaid, Y.P., 953
- Interpretation of field vane strength of an anisotropic soil: Discussion. Miller, G.A., and Lutenege, A.J., 1047
- Interpretation of field vane strength of an anisotropic soil: Reply Garga, V.K., and Khan, M.A., 1050
07. *Dynamic Properties*
- Collapse behaviour of sand. Sasitharan, S., Robertson, P.K., Sego, D.C., and Morgenstern, N.R., 569
- Dynamic performance of the Becker hammer drill and penetration test. Sy, A., and Campanella, R.G., 607
- The assessment of rockfall hazard at the base of talus slopes. Evans, S.G., and Hungr, O., 620
- Dynamic deformation characteristics of sands and rockfill materials. Yasuda, N., and Matsumoto, N., 747
- Design of dynamic compaction: Discussion. Ghaly, A., 1041
- Design of dynamic compaction: Reply. Poran, C.J., 1041
08. *Thermal Properties*
- Determination of creep properties of frozen soils by means of the borehole stress relaxation test. Ladanyi, B., and Melouki, M., 170
- Stress-strain response of Cold Lake oil sands. Wong, R.C.K., Barr, W.E., and Kry, P.R., 220
- Effect of freeze-thaw on the hydraulic conductivity and morphology of compacted clay. Othman, M.A., and Benson, C.H., 236
- The strength and deformation behaviour of model adfreeze and grouted piles in saline frozen soils. Biggar, K.W., and Sego, D.C., 319
- Creep behaviour of fine-grained frozen soils: Discussion. Juárez-Badillo, E., 385
- Creep behaviour of fine-grained frozen soils: Reply. Wijeweera, H., and Joshi, R.C., 387
- Uplift of model steel pipelines embedded in polycrystalline ice. Rajani, B., and Morgenstern, N., 441
- Downslope movements at shallow depths related to cyclic pore-pressure changes. Eigenbrod, K.D., 464
- Distribution of saline permafrost in the Northwest Territories, Canada. Hivon, E.G., and Sego, D.C., 506
09. *Compactibility*
- Quelques propriétés d'une argile sur la «ligne optimale de compactage». Cabot, L., et Le Bihan, J.-P., 1033
- Design of dynamic compaction: Discussion. Ghaly, A., 1041
- Design of dynamic compaction: Reply. Poran, C.J., 1041
10. *Properties of Soil-Additive Mixtures*
- Geotechnics of nonsegregating oil sand tailings. Caughill, D.L., Morgenstern, N.R., and Scott, J.D., 801

E. Analysis of Soil-Engineering Problems

01. *Stress Analysis*
- The coefficient of earth pressure at rest. Mesri, G., and Hayat, T.M., 647
- Geosynthetics case histories: thirty-five years of experience. Douglas, R.A., 1052
02. *Deformation and Settlement Problems*
- Effet de l'inclinaison de la charge et stabilité latérale de pieux flottants dans la glace ou le pergélisol. Morin, P., 702
- Some techniques for finite element analysis of embankment on soft ground. Chai, J.C., and Bergado, D.T., 710
- Characteristics of ground surface settlement during excavation. Ou, C.Y., Hsieh, P.-G., and Chiou, D.-C., 758
03. *Bearing Capacity of Shallow Foundations*
- Ultimate bearing capacity of shallow foundations on sand with geogrid reinforcement. Omar, M.T., Das, B.M., Puri, V.K., and Yen, S.C., 545
- Exact probabilistic solution of two-parameter bearing capacity for shallow foundations: Discussion. Cherubini, C., 884
- Exact probabilistic solution of two-parameter bearing capacity for shallow foundations: Reply. Easa, S.M., 886
- Initiation of static instability in the submarine Nerlerk berm. Lade, P.V., 895
- Vertical bearing capacity factors for circular and strip footings on Mohr-Coulomb soil. Bolton, M.D., and Lau, S.K., 1024

04. *Bearing Capacity of Piles and other Deep Foundations*
 Comportement de pieux d'essais instrumentés charge horizontale. Frank, R., Zervogiannis, H., et Kalteziotis, N., 1
 Field pile load tests in saline permafrost. I. Test procedures and results. Biggar, K.W., and Sego, D.C., 34
 Field pile load tests in saline permafrost. II. Analysis of results. Biggar, K.W., and Sego, D.C., 46
 Cyclic analysis of axially loaded piles in calcareous soils. Lee, C.Y., and Poulos, H.G., 82
 Behaviour of flexible batter piles under inclined loads in layered soil. Meyerhof, G.G., and Yalcin, A.S., 247
 The strength and deformation behaviour of model adfreeze and grouted piles in saline frozen soils. Biggar, K.W., and Sego, D.C., 319
 Load transfer for piles in sand and the critical depth. Altaee, A., Fellenius, B.H., and Evgin, E., 455
 Development of negative skin friction on driven piles in soft Bangkok clay: Discussion. Altaee, A., 886
 Development of negative skin friction on driven piles in soft Bangkok clay: Reply. Indraratna, B., 887
 Development of negative skin friction on driven piles of soft Bangkok clay: Discussion. Fellenius, B.H., 888
 Development of negative skin friction on driven piles of soft Bangkok clay: Reply. Indraratna, B., 890

05. *Earth Pressure Problems*
 Field measurements and analysis of a large-diameter flexible culvert. Byrne, P.M., Srithar, T., and Kern, C.B., 135
 Interaction of lateritic soil and steel grid reinforcement. Bergado, D.T., Macatol, K.C., Amin, N.U., Chai, J.C., Alfaro, M.C., and Anderson, L.R., 376

06. *Stability of Slopes and Excavations*
 Stability of the north slope and portal at the Edmonton light rail transit crossing of the North Saskatchewan River. Gerber, G.E., Tweedie, R.W., Bean, S.M., Thomson, S., and Eisenstein, Z., 12
 Debris flows: some physical characteristics and behaviour. Fannin, R.J., and Rollerson, T.P., 71
 Downslope movements at shallow depths related to cyclic pore-pressure changes. Eigenbrod, K.D., 464
 Analyses for the stability of potash tailings piles. Fredlund, D.G., Zhang, Z.M., and MacDonald, K., 491
 Rational design treatment of slides in overconsolidated clays and clay shales. Brooker, E.W., and Peck, R.B., 526
 The assessment of rockfall hazard at the base of talus slopes. Evans, S.G., and Hunger, O., 620
 Initiation of static instability in the submarine Nerlerk berm. Lade, P.V., 895

07. *Seepage and other Hydraulic Problems*
 Debris flows: some physical characteristics and behaviour. Fannin, R.J., and Rollerson, T.P., 71
 Hydraulic conductivity and diffusion monitoring of the Keele Valley Landfill liner, Maple, Ontario. King, K.S., Quigley, R.M., Fernandez, F., Reades, D.W., and Bacopoulos, A., 124
 Reinstrumentation of an earthfill dam. Hanna, A., Lum, K.Y., and Lou, J.K., 193
 Field and laboratory experience with the use of strip drains in organic soils. Koda, E., Szymanski, A., and Wolski, W., 308
 The effect of water seepage forces on the face stability of an experimental microtunnel. Pellet, F., Descoedres, F., and Egger, P., 363
 Analyses for the stability of potash tailings piles. Fredlund, D.G., Zhang, Z.M., and MacDonald, K., 491
 Some techniques for finite element analysis of embankment on soft ground. Chai, J.C., and Bergado, D.T., 710
 Evaluation of the saturated-unsaturated groundwater conditions of a thickened tailings deposit. Barbour, S.L., Wilson, G.W., and St-Arnaud, L.C., 935

08. *Dynamic Problems*
 Cyclic analysis of axially loaded piles in calcareous soils. Lee, C.Y., and Poulos, H.G., 82

09. *Frost Action and Heat-Transfer Problems*
 Field pile load tests in saline permafrost. I. Test procedures and results. Biggar, K.W., and Sego, D.C., 34
 Field pile load tests in saline permafrost. II. Analysis of results. Biggar, K.W., and Sego, D.C., 46
 The strength and deformation behaviour of model adfreeze and grouted piles in saline frozen soils. Biggar, K.W., and Sego, D.C., 319
 Uplift of model steel pipelines embedded in polycrystalline ice. Rajani, B., and Morgenstern, N., 441
 Effet de l'inclinaison de la charge et stabilité latérale de pieux flottants dans la glace ou le pergélisol. Morin, P., 702

10. *Analysis of Layered Systems and Pavements Behaviour*
 The stability of embankments reinforced with steel. Rowe, R.K., and Mylleville, B.L.J., 768

12. *Soil-Structure Interaction*
 Field pile load tests in saline permafrost. I. Test procedures and results. Biggar, K.W., and Sego, D.C., 34
 Field pile load tests in saline permafrost. II. Analysis of results. Biggar, K.W., and Sego, D.C., 46
 Cyclic analysis of axially loaded piles in calcareous soils. Lee, C.Y., and Poulos, H.G., 82
 Flow field around a cylindrical pile during steady penetration. Silvestri, V., and Tabib, C., 369
 Interaction of lateritic soil and steel grid reinforcement. Bergado, D.T., Macatol, K.C., Amin, N.U., Chai, J.C., Alfaro, M.C., and Anderson, L.R., 376
 On the pullout resistance of geosynthetics. Fannin, R.J., and Raju, D.M., 409
 Downslope movements at shallow depths related to cyclic pore-pressure changes. Eigenbrod, K.D., 464
 Observed and calculated pore pressures and deformations induced by an earth balance shield. Yi, X., Rowe, R.K., and Lee, K.M., 476
 Verification and calibration studies for the new CAN/CSA-S472 foundations of offshore structures. Been, K., Clark, J.I., and Livingstone, W.R., 515

- Effet de l'inclinaison de la charge et stabilité latérale de pieux flottants dans la glace ou le pergélisol. Morin, P., 702
 The stability of embankments reinforced with steel. Rowe, R.K., and Mylleville, B.L.J., 768
 Application de la méthode de Bishop simplifiée aux remblais renforcés par les géosynthétiques. Houam, A., et Nuyens, J., 812
 Development of negative skin friction on driven piles in soft Bangkok clay: Discussion. Altaee, A., 886
 Development of negative skin friction on driven piles in soft Bangkok clay: Reply. Indraratna, B., 887
 Stresses and displacements for shallow foundations. Poulos, H.G., 1053

13. *Mathematical Methods, Computer Analysis*

- Geotechnical aspects of recovery processes in oil sands. Settari, A., Ito, Y., Fukushima, N., and Vaziri, H., 22
 Cyclic analysis of axially loaded piles in calcareous soils. Lee, C.Y., and Poulos, H.G., 82
 Field measurements and analysis of a large-diameter flexible culvert. Byrne, P.M., Srihar, T., and Kern, C.B., 135
 A finite element study of the pressuremeter test in sand using a nonlinear elastic plastic model. Fahey, M., and Carter, J.P., 348
 The effect of water seepage forces on the face stability of an experimental microtunnel. Pellet, F., Descoedres, F., and Egger, P., 363
 Observed and calculated pore pressures and deformations induced by an earth balance shield. Yi, X., Rowe, R.K., and Lee, K.M., 476
 Verification and calibration studies for the new CAN/CSA-S472 foundations of offshore structures. Been, K., Clark, J.I., and Livingstone, W.R., 515
 Characterization of fracture aperture by inverse analysis. Piggott, A.R., and Elsworth, D., 637
 Some techniques for finite element analysis of embankment on soft ground. Chai, J.C., and Bergado, D.T., 710
 Exact probabilistic solution of two-parameter bearing capacity for shallow foundations: Discussion. Cherubini, C., 884
 Exact probabilistic solution of two-parameter bearing capacity for shallow foundations: Reply. Easa, S.M., 886
 A general limit equilibrium model for three-dimensional slope stability analysis. Lam, L., and Fredlund, D.G., 905
 Comparison of analytical snow pressure models. McClung, D.M., 947

14. *Model Test Analysis*

- Behaviour of flexible batter piles under inclined loads in layered soil. Meyerhof, G.G., and Yalcin, A.S., 247
 The strength and deformation behaviour of model adfreeze and grouted piles in saline frozen soils. Biggar, K.W., and Sego, D.C., 319
 The effect of water seepage forces on the face stability of an experimental microtunnel. Pellet, F., Descoedres, F., and Egger, P., 363
 Uplift of model steel pipelines embedded in polycrystalline ice. Rajani, B., and Morgenstern, N., 441

F. Rock Properties: Laboratory and In-Situ Determinations

02. *Physico-Chemical Properties*

- Dissolution and oxidation of mudstone under stress. Chigira, M., 60
 Design of a composite soil cover for an experimental waste rock pile near Newcastle, New Brunswick, Canada. Yanful, E.K., Bell, A.V., and Woyshner, M.R., 578
 Construction and monitoring of a composite soil cover on an experimental waste-rock pile near Newcastle, New Brunswick, Canada. Yanful, E.K., Riley, M.D., Woyshner, M.R., and Duncan, J., 588

03. *Composition, Density and Structural Features*

- A shear-dependent fracture-zone transmissivity model. Tannant, D.D., and Kaiser, P.K., 146
 Buckling deformation in the Highwood Pass, Alberta, Canada. Hu, X.-Q., and Cruden, D.M., 276
 Stress measurements in high-stress zones using the modified doorstopper technique. Corthésy, R., Gill, D.E., Leite, M.H., and Thompson, P.M., 991

06. *Shear-Deformation and Strength Properties*

- Mining-induced deformation in potash yield pillars, Vanscoy, Saskatchewan. Chen, R., Brisbin, W.C., and Stimpson, B., 297
 Measurement of rock elastic moduli in tension and in compression and its practical significance. Stimpson, B., and Chen, R., 338
 Parameters for stress and deformation analysis of rockfill dams. Saboya Jr., F., and Byrne, P.M., 690

07. *Dynamic Properties*

- Dynamic deformation characteristics of sands and rockfill materials. Yasuda, N., and Matsumoto, N., 747

G. Analysis of Rock-Engineering Problems

01. *Stress Analysis*

- Mining-induced deformation in potash yield pillars, Vanscoy, Saskatchewan. Chen, R., Brisbin, W.C., and Stimpson, B., 297
 On the pullout resistance of geosynthetics, Fannin, R.J., and Raju, D.M., 409
 Stress measurements in high-stress zones using the modified doorstopper technique. Corthésy, R., Gill, D.E., Leite, M.H., and Thompson, P.M., 991

02. *Deformation and Displacement Problems*

- A numerical method for modelling large displacements of jointed rocks, I. Fundamentals. Wang, B., and Garga, V.K., 96

- A numerical method for modelling large displacements of jointed rocks, II. Modelling of rocks bolts and groundwater and applications. Garga, V.K., and Wang, B., 109
Parameters for stress and deformation analysis of rockfill dams. Saboya Jr., F., and Byrne, P.M., 690
03. *Bearing Capacity of Rock Masses*
Dynamic performance of the Becker hammer drill and penetration test. Sy, A., and Campanella, R.G., 607
05. *Rock Pressure on Tunnels and Underground Openings*
A numerical method for modelling large displacements of jointed rocks, II. Modelling of rocks bolts and groundwater and applications. Garga, V.K., and Wang, B., 109
Stress measurements in high-stress zones using the modified doorstopper technique. Corthésy, R., Gill, D.E., Leite, M.H., and Thompson, P.M., 991
06. *Stability of Rock Slopes and Open Excavations*
Buckling deformation in the Highwood Pass, Alberta, Canada. Hu, X.-Q., and Cruden, D.M., 276
Application of a rock buttress in the design of slopes of a strip coal mine adjacent to a highway. Ulusay, R., Yoleri, M.F., and Doyuran, V., 391
Equivalence of mesh- and fibre-reinforced shotcrete and large deflections. Kirsten, H.A.D., 418
Rational design treatment of slides in overconsolidated clays and clay shales. Brooker, E.W., and Peck, R.B., 526
Rock topples in the highway cut west of Clairvaux Creek, Jasper, Alberta. Cruden, D.M., Hu, X.-Q., and Lu, Z., 1016
07. *Seepage and other Hydraulic Problems*
A shear-dependent fracture-zone transmissivity model. Tannant, D.D., and Kaiser, P.K., 146
Effect of tunnel excavation on transmissivity distributions and flow in a fracture zone. Tannant, D.D., Kaiser, P.K. and Chan, D.H., 155
Measurement of rock elastic moduli in tension and in compression and its practical significance. Stimpson, B., and Chen, R., 338
Design of a composite soil cover for an experimental waste rock pile near Newcastle, New Brunswick, Canada. Yanful, E.K., Bell, A.V., and Woyshner, M.R., 578
Construction and monitoring of a composite soil cover on an experimental waste-rock pile near Newcastle, New Brunswick, Canada. Yanful, E.K., Riley, M.D., Woyshner, M.R., and Duncan, J., 588
Characterization of fracture aperture by inverse analysis. Piggott, A.R., and Elsworth, D., 637
13. *Mathematical Methods, Computer Analysis*
A numerical method for modelling large displacements of jointed rocks, I. Fundamentals. Wang, B., and Garga, V.K., 96
A numerical method for modelling large displacements of jointed rocks, II. Modelling of rocks bolts and groundwater and applications. Garga, V.K., and Wang, B., 109
Standard penetration test energy measurements using a system based on the personal computer: Discussion. Sy, A., and Campanella, R.G., 876
Standard penetration test energy measurements using a system based on the personal computer: Reply. Robertson, P.K., Woeller, D.J., and Addo, K.O., 883

H. Design, Construction, and Behaviour of Engineering Works

02. *Retaining Structures and Cut-off Walls*
Characteristics of ground surface settlement during excavation. Ou, C.Y., Hsieh, P.-G., and Chiou, D.-C., 758
04. *Dams and Reservoirs*
Reinstrumentation of an earthfill dam. Hanna, A., Lum, K.Y., and Lou, J.K., 193
Parameters for stress and deformation analysis of rockfill dams. Saboya Jr., F., and Byrne, P.M., 690
Investigations of high uplift pressures beneath a concrete dam. Hanna, A.W., Plewes, H.D., Wong, R., and Seyers, W.C., 974
Quelques propriétés d'une argile sur la «ligne optimale de compactage». Cabot, L., et Le Bihan, J.-P., 1033
05. *Tunnels and Underground Openings*
Field measurements and analysis of a large-diameter flexible culvert. Byrne, P.M., Srithar, T., and Kern, C.B., 135
Effect of tunnel excavation on transmissivity distributions and flow in a fracture zone. Tannant, D.D., Kaiser, P.K. and Chan, D.H., 155
The effect of water seepage forces on the face stability of an experimental microtunnel. Pellet, F., Descoedres, F., and Egger, P., 363
Equivalence of mesh- and fibre-reinforced shotcrete and large deflections. Kirsten, H.A.D., 418
Observed and calculated pore pressures and deformations induced by an earth balance shield. Yi, X., Rowe, R.K., and Lee, K.M., 476
Stability of unsupported tunnels in clay: Discussion. Shirlaw, J.N., 1042
Stability of unsupported tunnels in clay: Reply Einstein, Z., and Samarasekera, L., 1043
Pore pressures around tunnels in clay: Discussion. Shirlaw, J.N., 1044
Pore pressures around tunnels in clay: Reply Samarasekera, L., and Einstein, Z., 1046
06. *Roads, Railroads and Airfields*
Rock topples in the highway cut west of Clairvaux Creek, Jasper, Alberta. Cruden, D.M., Hu, X.-Q., and Lu, Z., 1016

07. *Harbours, Canals, and Coastal Engineering Works*
Donald MacDonald and the Panama Canal. Legget, R.F., 555
09. *Slopes and Unsupported Excavations*
Stability of the north slope and portal at the Edmonton light rail transit crossing of the North Saskatchewan River. Gerber, G.E., Tweedie, R.W., Bean, S.M., Thomson, S., and Eisenstein, Z., 12
Application of a rock buttress in the design of slopes of a strip coal mine adjacent to a highway. Ulusay, R., Yoleri, M.F., and Doyuran, V., 391
Application de la méthode de Bishop simplifiée aux remblais renforcés par les géosynthétiques. Houam, A., et Nuyens, J., 812
A note on vertical cuts in homogeneous soils. Singh, D.N., and Basudhar, P.K., 859
A suggested method for estimating setbacks from the crests of slopes on the Interior Plains in Alberta. de Lugt, J.S., Thomson, S., and Cruden, D.M., 863
A general limit equilibrium model for three-dimensional slope stability analysis. Lam, L., and Fredlund, D.G., 905

K. Construction Methods and Equipment

01. *Drainage Methods*
Field and laboratory experience with the use of strip drains in organic soils. Koda, E., Szymanski, A., and Wolski, W., 308
02. *Sealing and Grouting Processes*
Suivi de l'injection au moyen de l'émission acoustique. Rhazi, J., et Ballivy, G., 965
06. *Soil Stabilization and Erosion Control*
On the pullout resistance of geosynthetics. Fannin, R.J., and Raju, D.M., 409
Stresses and displacements for shallow foundations. Poulos, H.G., 1053
07. *Piles and Pile Driving, incl. Sheet Piles*
Comportement de pieux d'essais instrumentés charge horizontale. Frank, R., Zervogiannis, H., et Kalteziotis, N., 1
Load transfer for piles in sand and the critical depth. Altaee, A., Fellenius, B.H., and Evgin, E., 455
12. *Offshore Construction*
Verification and calibration studies for the new CAN/CSA-S472 foundations of offshore structures. Been, K., Clark, J.I., and Livingstone, W.R., 515
Initiation of static instability in the submarine Nerlerk berm. Lade, P.V., 895
14. *Measures for Improving Deformation and Stability Conditions, Reconstruction of Foundations*
Ultimate bearing capacity of shallow foundations on sand with geogrid reinforcement. Omar, M.T., Das, B.M., Puri, V.K., and Yen, S.C., 545

M. Materials of Construction

07. *Paints and Castings*
Application of a rock buttress in the design of slopes of a strip coal mine adjacent to a highway. Ulusay, R., Yoleri, M.F., and Doyuran, V., 391

S. Snow and Ice Mechanics and Engineering

03. *Snow and Ice Engineering*
Comparison of analytical snow pressure models. McClung, D.M., 947

T. Related Disciplines

06. *Civil Engineering*
Comportement de pieux d'essais instrumentés charge horizontale. Frank, R., Zervogiannis, H., et Kalteziotis, N., 1
Flow field around a cylindrical pile during steady penetration. Silvestri, V., and Tabib, C., 369
Load transfer for piles in sand and the critical depth. Altaee, A., Fellenius, B.H., and Evgin, E., 455
The stability of embankments reinforced with steel. Rowe, R.K., and Mylleville, B.L.J., 768
A review of the influence of clay-brine interactions on the geotechnical properties of Ca-montmorillonitic clayey soils from western Canada. Barbour, S.L., and Yang, N., 920
Stresses and displacements for shallow foundations. Poulos, H.G., 1053

07. *Mining Engineering and Ore Prospecting*

- Mining-induced deformation in potash yield pillars, Vanscoy, Saskatchewan. Chen, R., Brisbin, W.C., and Stimpson, B., 297
Equivalence of mesh- and fibre-reinforced shotcrete and large deflections. Kirsten, H.A.D., 418
Analyses for the stability of potash tailings piles. Fredlund, D.G., Zhang, Z.M., and MacDonald, K., 491
Geotechnics of nonsegregating oil sand tailings. Caughill, D.L., Morgenstern, N.R., and Scott, J.D., 801
Evaluation of the saturated-unsaturated groundwater conditions of a thickened tailings deposit. Barbour, S.L., Wilson, G.W., and St-Arnaud, L.C., 935

14. *Environmental Problems and Nature Conservation*

- Debris flows: some physical characteristics and behaviour. Fannin, R.J., and Rollerson, T.P., 71
Distribution of saline permafrost in the Northwest Territories, Canada. Hivon, E.G., and Sego, D.C., 506
Design of a composite soil cover for an experimental waste rock pile near Newcastle, New Brunswick, Canada. Yanful, E.K., Bell, A.V., and Woyshner, M.R., 578
Construction and monitoring of a composite soil cover on an experimental waste-rock pile near Newcastle, New Brunswick, Canada. Yanful, E.K., Riley, M.D., Woyshner, M.R., and Duncan, J., 588
Interpretation of the transient flow rate obtained from constant-head tests conducted in situ in clays. Novakowski, K.S., 600
pH influence on selectivity and retention of heavy metals in some clay soils. Yong, R.N., and Phadungchewit, Y., 821
Selective sequential extraction analysis of heavy-metal retention in soil. Yong, R.N., Galvez-Cloutier, R., and Phadungchewit, Y., 834

